

L Number	Hits	Search Text	DB	Time stamp
-	765229	h011021\$.ipc. c23c016\$.ipc.	JPO; DERWENT	2003/10/22 10:28
-	138813	((h011021\$.ipc. c23c016\$.ipc.) and (electrode cathode anode)	JPO; DERWENT	2003/10/22 10:30
-	5880	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)	JPO; DERWENT	2003/10/22 11:29
-	69	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and cool\$3	JPO; DERWENT	2003/10/22 10:47
-	5302	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width)))	JPO; DERWENT	2003/10/22 10:47
-	36	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and cool\$3	JPO; DERWENT	2003/10/22 10:51
-	29	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and cool\$3) not (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and cool\$3)	JPO; DERWENT	2003/10/22 10:51
-	60	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and chuck	JPO; DERWENT	2003/10/22 10:51
-	26	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and chuck	JPO; DERWENT	2003/10/22 10:51
-	80	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and chuck) (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and chuck)	JPO; DERWENT	2003/10/22 10:51
-	70	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and chuck) (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and chuck)) not (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and cool\$3)	JPO; DERWENT	2003/10/22 10:52
-	68	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and chuck) (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and chuck)) not (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with thickness)) and cool\$3) not (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and cool\$3)	JPO; DERWENT	2003/10/22 10:52
-	7386	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (thick thickness)))	JPO; DERWENT	2003/10/22 11:05
-	2100	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (thick thickness))) and etch\$3	JPO; DERWENT	2003/10/22 11:16
-	33	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (thick thickness))) and (parasitic adj capacity)	JPO; DERWENT	2003/10/22 11:12
-	25	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and (parasitic adj capacity)	JPO; DERWENT	2003/10/22 11:08

-	54	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (thick thickness))) and (parasitic adj capacity)) ((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and (parasitic adj capacity))	JPO; DERWENT	2003/10/22 11:08
-	315	((h011021\$.ipc. c23c016\$.ipc.) and (electrode cathode anode)) and (parasitic adj capacity) not (((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (thick thickness))) and (parasitic adj capacity)) ((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (height depth width))) and (parasitic adj capacity))	JPO; DERWENT	2003/10/22 11:15
-	265	((h011021\$.ipc. c23c016\$.ipc.) and ((electrode cathode anode) with (thick thickness))) and etch\$3) and plasma	JPO; DERWENT	2003/10/22 11:17
-	1339	((118/723e) or (156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.	USPAT; EPO; JPO	2003/10/22 11:32
-	92758	((electrode cathode anode) with (depth height width length thickness))	USPAT	2003/10/22 11:31
-	423	((118/723e) or (156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and ((electrode cathode anode) with (depth height width length thickness))	USPAT	2003/10/22 11:32
-	516	((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.	USPAT; EPO; JPO	2003/10/22 11:32
-	191	((electrode cathode anode) with (depth height width length thickness)) and ((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.)	USPAT	2003/10/22 12:11
-	619	(438/710).CCLS.	USPAT; EPO; JPO	2003/10/22 12:11
-	81	((electrode cathode anode) with (depth height width length thickness)) and ((438/710).CCLS.)	USPAT	2003/10/22 12:18
-	188	((electrode cathode anode) with (depth height width length thickness)) and 361/234.ccls.	USPAT	2003/10/22 12:18
-	187	((electrode cathode anode) with (depth height width length thickness)) and 361/234.ccls.) not (((electrode cathode anode) with (depth height width length thickness)) and ((438/710).CCLS.))	USPAT	2003/10/22 12:19
-	187	((electrode cathode anode) with (depth height width length thickness)) and 361/234.ccls.) not (((electrode cathode anode) with (depth height width length thickness)) and ((438/710).CCLS.)) not (((electrode cathode anode) with (depth height width length thickness)) and ((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.))	USPAT	2003/10/22 12:53
-	0	((118/723e) or (156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (parasitic adj capacity)	USPAT	2003/10/22 12:53
-	0	361/234.ccls. and (parasitic adj capacity)	USPAT	2003/10/22 12:54
-	0	315/111\$.ccls. and (parasitic adj capacity)	USPAT	2003/10/22 12:55
-	1265	parasitic adj capacity	USPAT	2003/10/22 12:55
-	395	(parasitic adj capacity) same (electrode cathode anode)	USPAT	2003/10/22 12:55
-	1	((438/710).CCLS.) and (parasitic adj capacity)	USPAT	2003/10/22 13:02

-	210	438/\$.ccls. and (parasitic adj capacity)	USPAT	2003/10/22 14:24
-	232	((((118/723e) or (156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and ((electrode cathode anode) with (depth height width length thickness)))) not (((electrode cathode anode) with (depth height width length thickness))) and (((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.))	USPAT	2003/10/22 13:02
-	4612	118/723\$.ccls. 156/345\$.ccls.	USPAT	2003/10/22 13:02
-	0	(118/723\$.ccls. 156/345\$.ccls.) and (parasitic adj capacity)	USPAT	2003/10/22 13:27
-	8	((("5443689") or ("5665166") or ("6110287") or ("5255153") or ("5542559") or ("5411624") or ("5698062") or ("5529657")).PN.	USPAT; EPO; JPO	2003/10/22 13:29
-	8	((("5443689") or ("5665166") or ("6110287") or ("5255153") or ("5542559") or ("5411624") or ("5698062") or ("5529657")).PN.) and insulat\$3	USPAT; EPO; JPO	2003/10/22 13:45
-	2	((("5443689") or ("5665166") or ("6110287") or ("5255153") or ("5542559") or ("5411624") or ("5698062") or ("5529657")).PN.) and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT; EPO; JPO	2003/10/22 16:50
-	167	((parasitic adj capacity) same (electrode cathode anode)) and plasma	USPAT	2003/10/22 14:09
-	164	(438/\$.ccls. and (parasitic adj capacity)) not (((parasitic adj capacity) same (electrode cathode anode)) and plasma)	USPAT	2003/10/22 14:09
-	369	((h011021\$.ipc. c23c016\$.ipc.) and (electrode cathode anode)) and (parasitic adj capacity)	JPO; DERWENT	2003/10/22 14:21
-	815	(h011021\$.ipc. c23c016\$.ipc.) and (parasitic adj capacity)	JPO; DERWENT	2003/10/22 14:21
-	17	((h011021\$.ipc. c23c016\$.ipc.) and (parasitic adj capacity)) and plasma	JPO; DERWENT	2003/10/22 14:21
-	5	216/\$.ccls. and (parasitic adj capacity)	USPAT	2003/10/22 14:46
-	95	frequency with (parasitic adj capacity)	USPAT	2003/10/22 18:42
-	8237	((heat adj sink) cool\$3) with ceramic	USPAT	2003/10/22 15:58
-	6639	((heat adj sink) cool\$3) with ceramic	JPO; DERWENT	2003/10/22 15:57
-	312	(h011021\$.ipc. c23c016\$.ipc.) and ((heat adj sink) cool\$3) with ceramic	JPO; DERWENT	2003/10/22 15:46
-	48	((h011021\$.ipc. c23c016\$.ipc.) and ((heat adj sink) cool\$3) with ceramic)) and (electrode cathode anode)	JPO; DERWENT	2003/10/22 15:46
-	5774	(118/723\$.ccls. 156/345\$.ccls.) 361/234.ccls. 118/724.ccls.	USPAT	2003/10/22 16:00
-	149	((heat adj sink) cool\$3) with ceramic) and ((118/723\$.ccls. 156/345\$.ccls.) 361/234.ccls. 118/724.ccls.)	USPAT	2003/10/22 16:34
-	65457	438/\$.ccls. 216/\$.ccls.	USPAT	2003/10/22 16:35
-	217	(438/\$.ccls. 216/\$.ccls.) and ((heat adj sink) cool\$3) with ceramic	USPAT	2003/10/22 16:35
-	186	((438/\$.ccls. 216/\$.ccls.) and ((heat adj sink) cool\$3) with ceramic)) not (((heat adj sink) cool\$3) with ceramic) and ((118/723\$.ccls. 156/345\$.ccls.) 361/234.ccls. 118/724.ccls.)	USPAT	2003/10/22 16:50
-	606	((118/723\$.ccls. 156/345\$.ccls.) 361/234.ccls. 118/724.ccls.) and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT; EPO; JPO	2003/10/22 17:41
-	3178	156/345\$.ccls. 118/723\$.ccls. and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT	2003/10/22 16:52
-	4612	156/345\$.ccls. 118/723\$.ccls.	USPAT	2003/10/22 16:52

-	540	(156/345\$.ccls. 118/723\$.ccls.) and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT; EPO; JPO	2003/10/22 16:53
-	177	((118/723e) or (156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT; EPO; JPO	2003/10/22 17:20
-	15	tomioka-kazuhiro\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:29
-	39	sakai-itsuko\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:31
-	14	ohiwa-tokuhisa\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:21
-	190	kojima-akihiro\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:22
-	59	hayashi-hisataka\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:26
-	525818	toshiba.as.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:29
-	1176	toshiba.as. and (parasitic adj (capacity capacitance))	USPAT; EPO; JPO; DERWENT	2003/10/22 17:27
-	21	(toshiba.as. and (parasitic adj (capacity capacitance))) and (cool\$3 (heat adj sink))	USPAT; EPO; JPO; DERWENT	2003/10/22 17:28
-	525818	"toshiba".as.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:29
-	11	tomioka-kazuhiro\$.in. not hayashi-hisataka\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:29
-	38	sakai-itsuko\$.in. not tomioka-kazuhiro\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:31
-	38	(sakai-itsuko\$.in. not tomioka-kazuhiro\$.in.) not hayashi-hisataka\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:35
-	14	ohiwa-tokuhisa\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:36
-	186	kojima-akihiro\$.in. not hayashi-hisataka\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:36
-	185	(kojima-akihiro\$.in. not hayashi-hisataka\$.in.) not ohiwa-tokuhisa\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:36
-	185	((kojima-akihiro\$.in. not hayashi-hisataka\$.in.) not ohiwa-tokuhisa\$.in.) not sakai-itsuko\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:37
-	185	((((kojima-akihiro\$.in. not hayashi-hisataka\$.in.) not ohiwa-tokuhisa\$.in.) not sakai-itsuko\$.in.) not tomioka-kazuhiro\$.in.	USPAT; EPO; JPO; DERWENT	2003/10/22 17:40
-	54549	"toshiba".as. and (electrode cathode anode)	USPAT; EPO; JPO; DERWENT	2003/10/22 17:40
-	2035	("toshiba".as. and (electrode cathode anode)) and cool\$3	USPAT; EPO; JPO; DERWENT	2003/10/22 17:41
-	91	((("toshiba".as. and (electrode cathode anode)) and cool\$3) and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT; EPO; JPO	2003/10/22 17:52

-	158	((h011021\$.ipc. c23c016\$.ipc.) and (electrode cathode anode)) and (teflon polytetrafluoroethylene polyfluorotetraethylene)	JPO; DERWENT	2003/10/22 18:06
-	67	118/724\$.ccls. and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT	2003/10/22 18:11
-	109	118/715\$.ccls. and (teflon polytetrafluoroethylene polyfluorotetraethylene)	USPAT	2003/10/22 18:15
-	957	((cool\$3 near3 (jacket chamber passage conduit channel)) with (ceramic alumina quartz))	USPAT	2003/10/22 18:17
-	601	((cool\$3 near3 (jacket chamber passage conduit channel)) with (ceramic))	USPAT	2003/10/22 18:17
-	264	((cool\$3 near3 (jacket chamber passage conduit channel)) with (ceramic alumina quartz)) and plasma	USPAT	2003/10/22 18:17
-	135	((cool\$3 near3 (jacket chamber passage conduit channel)) with (ceramic)) and plasma	USPAT	2003/10/22 18:39
-	0	314/111\$.ccls. and ((capacitance capacity) with frequency)	USPAT	2003/10/22 18:40
-	35552	((capacitance capacity) with frequency)	USPAT	2003/10/22 18:40
-	165	((capacitance capacity) with frequency) and (118/723\$.ccls. 156/345\$.ccls.)	USPAT	2003/10/22 18:40
-	165	((capacitance capacity) with frequency)) and (118/723\$.ccls. 156/345\$.ccls.) not (frequency with (parasitic adj capacity))	USPAT	2003/10/22 18:42
-	1	("5942075").PN.	USPAT; EPO; JPO	2003/10/23 10:58
-	6	((("5269881") or ("4842707") or ("6120661") or ("5147497") or ("5255153") or ("5665166"))).PN.	USPAT; EPO; JPO	2003/10/23 11:11
-	2	"07335570"	JPO; DERWENT	2003/10/23 11:12